

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Irrigation & CAD Department – Allegation of possession of assets disproportionate to his known sources of income against Sri J.Surya Prakash, formerly Superintending Engineer, Irrigation Circle, Ongole, now retired – Further action dropped – Orders – Issued.

IRRIGATION & C.A.D. (IW:SERVICES-VI(1) DEPARTMENT

G.O.Rt.No. 1549 .

Dated 03-12-2008.

Read the following:-

1. From the Registrar, Institution of Lokayukta & Upa-Lokayukta, Hyderabad, Letter Dis.No.947/2003/B2/8739/2005, dated 15-09-2005.
2. Govt.Memo.No.17092/Major.Irr.VII(2)/2005, dated 23-11-2005.
3. From the Chief Engineer, Nagarjuna Sagar Project, Guntur, Letter No.2894.RC/NSP/G.2/02, dated 03-04-2007.
4. Govt.Memo.No.32200/Ser.VI(1)/2005-1, dated 05-07-2007.
5. From the Chief Engineer, Nagarjuna Sagar Project, Guntur, Letter No.2894-Rc/NSP/G2/02, dated 25-07-2007.

* * *

ORDER:

In the reference 1st read above, the Registrar, Hon'ble Lokayukta & Upa-Lokayukta, Hyderabad has passed orders on 16-08-2005 in Complaint No.947/2003/B2 filed by Sri K.Subba Rao against Sri J.Surya Prakash, Superintending Engineer, Irrigation Circle, Ongole and Sri Sarveswara Rao, Executive Engineer, Irrigation Department, Addanki of Prakasam District alleging that in the year 2002-2003 the Government have released rice worth Rs.7 lakhs to the Project Committee under "Food for Work" programme and directed the Government for considering the findings obtained by the Investigating Officer for the purpose of taking action along with the out come of allegation No.10 of Complaint No.739/2002/B2 and said that the Orders of the Institution for withholding payment to the contracting agency dated 15-02-2005 will be subject to further orders of the Government thereon.

2. In the reference 2nd read above, the Chief Engineer, Nagarjuna Sagar Project, Hill Colony, Nalgonda District was requested to furnish their remarks in the matter to Government.

3. In the reference 3rd read above, the Chief Engineer, Nagarjuna Sagar Project, Guntur has conducted the re-enquiry on Complaint No.947/2003/B2 of A.P.Lokayukta and Upa-Lokayukta, Hyderabad and furnished his report.

4. The matter has been examined and it is observed that the enquiry report furnished by the Chief Engineer is found insufficient and incomplete. The re-enquiry report ought to be speaking enough, such that the matter of conducting the enquiry evidence gathered during the course of enquiry, and the logical sequences of arriving at conclusions (as to whether not the allegations are proved) become obvious and self-evident from the Enquiry Report itself and the Chief Engineer, Nagarjuna Sagar Project, Guntur was requested to re-submit his Enquiry Report in a comprehensive manner vide reference 4th read above.

(P.T.O.)

::2::

5. In the reference 5th read above, the Chief Engineer, Nagarjuna Sagar Project, Guntur has furnished the comprehensive enquiry report on Complaint No.947/2003/B2 of A.P.Lokayukta & Upa-Lokayukta, Hyderabad.

6. After careful examination of the matter and considering the material available, Government have decided to drop further action against Sri J.Surya Prakash, Superintending Engineer (Retd.), as no disciplinary action is possible against him due to limitation prescribed under Rule 9 of A.P.Revised Pension Rules, 1980.

7. Accordingly, Government is hereby order to drop further action against Sri J.Surya Prakash, Superintending Engineer (Retd.), due to limitation prescribed under Rule 9 of A.P.Revised Pension Rules, 1980.

8. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri J.Surya Prakash, Superintending Engineer through the Engineer-in-Chief (AW), Irrigation & CAD Deptt., Hyderabad.
The Engineer-in-Chief (AW), Irrigation & CAD Deptt., Hyderabad.
Copy to:
The Secretary, A.P.Vigilance Commission, Hyderabad.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER